

# PROtech SAFETY DATA SHEET

## 1. PRODUCT IDENTIFICATION

Product Name: ALGAECIDE 30  
Synonym(s): W-30-1  
Recommended Uses: Swimming Pool Algaecide  
SDS Reference: 3

Company Information: ALLCHEM PERFORMANCE PRODUCTS, INC. Distributed By: WINDO  
6010 NW FIRST PLACE 6934 EAST FIRST AVENUE SUITE 101  
GAINESVILLE, FL 32607 SCOTTSDALE AZ 85251  
Tel: 352-378-9696  
24 HOUR EMERGENCY NUMBER: INFOTRAC (TRANSPORTATION): 1-800-535-5053

## 2. HAZARD(S) IDENTIFICATION

Classification: ACUTE TOXICITY ORAL  
ACUTE TOXICITY INHALATION  
SERIOUS EYE DAMAGE/EYE  
IRRITATION



Signal Word: WARNING

Hazard Statements: HEALTH HAZARDS:  
Oral Hazard - Harmful if swallowed - Category 4  
Inhalation Hazard - Harmful if inhaled - Category 4  
Eye Irritant - Causes eye irritation - Category 2B  
ENVIRONMENTAL HAZARDS: Harmful to aquatic life.

Precautionary Statements: Do not breathe vapors. Use only outdoors in well ventilated area. Do not get into eyes, on skin or on clothing. Wear protective eyewear (goggles, safety glasses or face shield), protective clothing, and rubber gloves. Wash hands thoroughly with soap and water after handling. Do not eat, drink or smoke when using this product. Remove contaminated clothing and wash clothing before reuse.

Eye Contact: Causes eye irritation.  
Skin Contact: No known significant effects or critical hazards.  
Inhalation: Harmful if inhaled.  
Ingestion: Harmful if swallowed.

## 3. COMPOSITION

	<u>PERCENT %</u>	<u>CAS #</u>
<u>Chemical Name:</u> Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride]	30	31512-74-0

The specific identity and/or percentages of this product are being withheld as a trade secret. The specific hazards of this product are noted in the applicable sections of this document.

## 4. FIRST AID

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note: Probable mucosal damage may contraindicate the use of gastric lavage.

## 5. FIREFIGHTING MEASURES

Suitable / Unsuitable Use an extinguishing agent suitable for the surrounding fire.  
Extinguishing Media:

# PROtech SAFETY DATA SHEET

Specific Hazards from Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. Decomposition products may include the following materials: Carbon dioxide; carbon monoxide; nitrogen oxides; halogenated compounds
Special Protective Equipment:	Fire-fighters should wear positive protection self-contained breathing apparatus (SCBA) and full turnout gear. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Other Information:	No data available

## **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Methods and Materials for cleanup:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Small Spills; Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Large Spills: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

## **7. HANDLING AND STORAGE**

Handling:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.
Storage:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Satisfactory Materials of Construction: Buna-N rubber; Butyl rubber; Polypropylene; Plexiglas; Teflon; PVC - rigid; Viton; EPDM rubber; PVC - flexible Fiberglass; Neoprene; Polyethylene - low density; Tygon; Tyril 880; Gum rubber Silicone rubber; Hypalon; Polyethylene - high density; Stainless steels 304 and 316; ABS (Plastic); Morton test liner (108 T 44LV); 6/6 Nylon; FRP lined mild steel NOTE: With respect to all other materials not listed above, user should be aware that use of such materials with this product may be hazardous and result in damages to such materials and other property and personal injuries. No data concerning such materials not listed above should be implied by the user.

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTIONS**

OSHA permissible exposure limit:	None.
Appropriate Engineering Controls:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# PROtech SAFETY DATA SHEET

Individual Protection Measures: Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory Protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Eye/Face Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Body and other Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, pale yellow liquid	Flammability (solid/gas):	No data available
Odor:	Mild	Upper/lower Flammability or Exposure limits:	No data available
Odor Threshold:	No data available	Vapor Pressure:	No data available
pH:	6 - 8	Vapor Density:	No data available
Melting Point/Freezing Point:	<32°F (0°C)	Density:	8.929 lbs/gal
Initial Boiling Point/Boiling Range:	212°F (>100°C)	Partition Coefficient: n-octanol/water:	No data available
Flash Point:	Closed Cup:>212°F (>100°C)	Auto-ignition Temperature:	No data available
Evaporation Rate:	No data available	Decomposition Temperature:	No data available
		Viscosity:	125 mPa-s (125cP) Dynamic (room temperature)

## 10. STABILITY AND REACTIVITY

Stability/Reactivity: The product is stable.  
No specific test data related to reactivity available for this product or its ingredients.

Possibilities of Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid: No data available

Incompatible Materials: No data available

Hazardous Decomposition Materials: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Toxicity results are based upon 60% and not 30% product:  
Acute Oral LD50: 1850 mg/kg ; LD50 Oral 1951 mg/kg Rat Male  
Acute Dermal LD50: >2000 mg/kg  
Acute Inhalation Dusts and Mists LC50: > 2.9 mg/l

Irritation / Corrosion:  
Eyes - Mild irritant Rabbit  
Skin - Mild irritant Rabbit

Sensitization:  
Skin Guinea Pig - Not sensitizing  
Skin Human - Not sensitizing

Chronic Toxicity: Sub-Chronic Toxicity: (based upon the 60% and not 30% material)  
NOEL ORAL: 3000 mg/kg - Rat - 90 days  
NOEL DERMAL: >1000 mg/kg - Rabbit - 90 days

# PROtech SAFETY DATA SHEET

Reproductive Toxicity: No data available.  
Carcinogenicity: This product is not considered a carcinogen.  
Mutagenicity: No data available.

## **12. ECOLOGICAL INFORMATION**

Aquatic Toxicity: Based upon WSCP at 60% and not 30%:  
Acute LC50 13 mg/l Marine water - Crustaceans - 96 hours  
Acute LC50 >600 mg/l Marine water - Fish - 96 hours

Avian Toxicity: No data available.

Environmental Hazards: This product is toxic to fish and other aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

## **13. DISPOSAL CONSIDERATIONS**

Disposal: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **14. TRANSPORTATION INFORMATION**

Transportation: Please refer to applicable regulations or call company noted under Section I.

## **15. REGULATORY INFORMATION**

TSCA: This product is subject to regulation under the US Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is therefore exempt from US Toxic Substances Control Act (TSCA) Inventory listing requirements.

SARA (311, 312): Immediate Acute Health Hazard

SARA 313: No ingredients listed in this section.

Right To Know  
Hazardous Substance  
List: California Prop. 65: WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer: 1,4-dioxane bis(2-chloroethyl) ether.

Waste Classification: No data available.

Workplace Classification: This product is considered hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

CERCLA Reportable  
Quantitv: Based upon the 60% Material:  
Dichloroethyl ether ; 0.001%  
Sara 302 TPQ: 10000 lbs / 981.5 gal  
Sara 304 RQ: 10 lbs / 0.98 gal

CERCLA: Hazardous substances.: 1,4-dioxane: 100 lbs. (45.4 kg); bis(2-chloroethyl) ether.

### **EPA NOTES:**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use. Following is the hazard information as required on the pesticide label:

**SIGNAL WORD: CAUTION**

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION:** Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wear chemical-resistant eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with other chemicals. This product contains reducer! Keep away from Oxidizing agents!

# PROtech SAFETY DATA SHEET

---

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and clams.

## **16. OTHER INFORMATION**

ALWAYS COMPLY WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE AND LOCAL REGULATIONS REGARDING THE TRANSPORTATION, STORAGE, USE AND DISPOSAL OF THIS CHEMICAL. Due to the changing nature of regulatory requirements, the REGULATORY INFORMATION listed in Section 15 of this document should NOT be considered all-inclusive or authoritative. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements. The information in this SDS was obtained from sources, which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

HMIS Rating: Health: 1  
Flammability: 1  
Reactivity: 0

NFPA Rating: Health: 1  
Flammability: 1  
Reactivity: 0

Revision Date: 5/12/2015

Special Hazard Warning: Not applicable